

44022

OFFICE OF
Indian Affairs
Rec. MAY 7

1907

AUTHORITY

| | |
|-----------------------------|------------|
| 104672 | RECEIVED |
| OFFICE OF INDIAN AFFAIRS | JUL 6 1907 |

90
2-93
131 5/4

INDIAN INDUSTRIAL SCHOOL.

Carlisle, Pa.,
May 3, 1907.

W.A. Mercer,
Major 11th Cavalry, Supt.

Submits estimate, plans and
specifications for proposed
florist's cottage.

QA 4 in
Trans to FI May 9/07
To Supt. May 11/1907
" Secy. July 3/1907
" Supt. July 10/1907

FILE

John D.

DEPARTMENT OF THE INTERIOR

UNITED STATES INDIAN SERVICE

INDIAN INDUSTRIAL SCHOOL


CARLISLE, PA

May 3, 1907. *g.c.w.*

The Honorable,

The Commissioner of Indian Affairs,

Washington, D.C.



Sir:-

Referring to the item of appropriation contained in the Indian Appropriation Act for the fiscal year, 1908, for the Carlisle Indian School "for employees' quarters, Five Thousand (\$5000.00) Dollars", I have to enclose herewith plans, specifications and estimates for one cottage to cost about \$1000, the same to be paid for out of said appropriation. This cottage is desired for the florist and to be erected adjacent to the greenhouse. The florist, Mr. Hoffman, has a family and desires to keep house, and I deem it proper to arrange for quarters so that he can do so, and be convenient to the greenhouse which is desirable, especially during the winter months when fires must be kept, at least during a portion of the time, day and night.

It is proposed to erect this cottage entirely by student labor, assisted by our instructors in the different trades, so that it will be necessary to buy only the material needed to construct the cottage.


While, of course, the appropriation in question will not be available until July 1st, I would like to have your approval of the plans, without delay, so that work can be commenced on the foundation. The stone and other material for the foundation

are at hand, and it is my purpose to have this all completed by the 1st of July so that there may be no delay in proceeding with the construction of the cottage immediately after the appropriation becomes available.

If you approve of the plans, and the advertisements for bids can be made, and the contracts awarded and executed before July 1st, I would like to be authorized to proceed with these advertisements, etc., as soon as possible.

Please return the plans herewith, if approved, with your reply.

Very respectfully,



Major 11th Cavalry,

Superintendent.

JRW/EFW

Encs.

DEPARTMENT OF THE INTERIOR

UNITED STATES INDIAN SERVICE

INDIAN INDUSTRIAL SCHOOL

CARLISLE, PA.

May 3,

DEPARTMENT OF THE INTERIOR,
RECEIVED
JUL 5 1907
MISCELLANEOUS DIVISION,
1907
MISCLS.

ESTIMATE FOR MATERIAL FOR FLORIST'S COTTAGE.

Hemlock Frame.

| | | | |
|-----------|---------------------------------|-----------------|-----------------|
| 25 pieces | 2" X 8" X 24 ft. | 800 ft. | |
| 25 " | 2" X 8" X 26 " | 832 " | |
| 25 " | 2" X 6" X 20 " | 500 " | |
| 145 " | 2" X 4" X 18 " | 1740 " | |
| 85 " | 2" X 6" X 12 " | 1020 " | |
| 35 " | 2" X 6" X 14 " | 490 " | |
| 35 " | 2" X 6" X 12 " | 420 " | |
| | | <u>5802 ft.</u> | at 28¢ \$162.45 |
| 8 posts | 6" X 6" W.P. 9 ft. | 216 ft. | |
| 2250 ft. | W.P. Siding #2 | at 40¢ | 90.00 |
| 1500 " | Y.P. Flooring #3 | 28¢ | 42.00 |
| 2000 " | " " Sheathing | 26¢ | 52.00 |
| 500 " | W.P. Flooring | 45¢ | 22.50 |
| 1000 " | " " 1" X 12" Barn No. 2 | | 45.00 |
| 500 " | " " 1 1/2" plank shop | 65¢ | 32.50 |
| 500 " | " " 1 1/4" " " | " " | 32.50 |
| 2 pairs | box stairs | | 35.00 |
| 500 lbs. | Sash weights | | 8.00 |
| 30 | window lights 26" X 30" D.S. | | 20.00 |
| 3 | outside door locks | | 1.50 |
| 12 | inside " " | | 3.00 |
| 14 | sash locks | | 1.50 |
| 14 | " lifts | | 1.25 |
| 100 lbs. | 8d flooring brads | | 2.75 |
| 200 " | 8d wire nails | | 4.35 |
| 5 doz. | sach pulleys 2" wheel | | 3.50 |
| 100 lbs. | 20d. nails | | 2.50 |
| 40 " | 30d. nails | | .90 |
| 14 pairs | 3 1/2" X 3 1/2" loose pin butts | | 2.50 |
| 3 " | 4" X 4" " " " | | |
| 24 boxes | Cortright shingles | at 4.50 | 97.50 102.00 |
| 300 ft. | 6" baseboards | at G.Md | 9.00 |
| 300 " | 8" " " " " | | 11.00 |
| 150 lbs. | Lewis white lead | | 10.00 |
| 15 gals. | linseed oil | | 7.00 |
| 75 ft. | galvanized down spouting | at 10¢ | 7.25 |
| 12000 | plastering lath | | 60.00 |
| 100 lbs. | 4d. lath nails | | 2.75 |
| 100 bu. | sand | at 7¢ | 7.00 |
| 2 tons | patent plaster | at \$13.75 | 27.50 |
| 25 lbs. | putty | at 5¢ | 1.25 |

\$805.95

816.70

DEPARTMENT OF THE INTERIOR
UNITED STATES INDIAN SERVICE
INDIAN INDUSTRIAL SCHOOL
CARLISLE, PA.

HEATING.

| | | |
|--|-------|--------|
| 1-4" Altitude Gauge - - - - - | | \$1.75 |
| 1 Straight Hot Water Thermometer - - - - - | | 1.00 |
| 1-40' Radiator) | | |
| 1-33' ") all 2 column 26" high | | |
| 1-30' ") for hot water 27¢ per ft. - - - | 34.29 | |
| 1-24' ") | | |
| 4-1" Hot water Union Red. Valves, nickel-plated - | 1.40 | 5.60 |
| 4-1" Union Elbows, nickel-plated 80¢ - - - - - | | 3.20 |
| 14-1" Floor plates 8¢ cast iron - - - - - | | 1.12 |
| 6-1" Ceiling plates 8¢ nickel-plated - - - - - | | .48 |
| 4-1/8" Compression air valves with key 25¢ - - - - - | | 1.00 |
| 2-2" Gate valves (brass) 3.25 - - - - - | | 6.50 |
| 81'-2" air cell) 15¢ - - - - - | | 12.15 |
| 33'-1 1/2" air cell) 13¢ sectional - - - - - | | 4.29 |
| 9' - 1 1/4" " ") 12¢ coverings - - - - - | | 1.08 |
| 50-1" " ") 10¢ 1 thick - - - - - | | 5.00 |
| 80'-2" pipe) 20¢ - - - - - | | 16.00 |
| 32'-1 1/2" ") 13¢ black and strictly - - - - - | | 5.76 |
| 17'-1 1/4" ") 11¢ wrought iron - - - - - | | 1.87 |
| 120'-1" ") 10¢ - - - - - | | 12.00 |
| 2-T 2 X 1 X 2 19¢ - - - - - | | .38 |
| 2-T 2 X 1 1/2 X 1 19¢ - - - - - | | .38 |
| 4-T 2 X 1 19¢ - - - - - | | .76 |
| 4-T 1 1/2 X 1 14¢ - - - - - | | .56 |
| 12-L 1" 45 degrees 7¢ - - - - - | | .84 |
| 14-L- 1" 7¢ - - - - - | | .98 |
| 8-L 2" 13¢ - - - - - | | 1.04 |
| 2 bushings 3 1/2" to 2 1/2" 25¢ - - - - - | | .50 |
| 1 " 3 1/2 to 2 25¢ - - - - - | | .25 |
| 1 " 2 1/2" to 2" 20¢ - - - - - | | .20 |
| 2-T 3 1/2" X 4" Bull head 80¢ - - - - - | | 1.60 |
| 1-Y 3 1/2" 50¢ - - - - - | | .50 |
| 1-Y 2 1/2" 40¢ - - - - - | | .40 |
| 1 Eccentric Reducer 3 1/2 to 2 - - - - - | | .40 |
| 1 pair 3 1/2" flanges - - - - - | | 1.40 |
| 1-4" Nipple 4" long - - - - - | | .80 |
| 1-4" " 5" " - - - - - | | .90 |
| 1-3 1/2" nipple short - - - - - | | .50 |
| 2-2" Kewanee Unions - - - 60¢ - - - - - | | 1.20 |
| 6-2" pipe hangers 30¢ - - - - - | | 1.80 |
| 6-1 1/2" " " 25¢ - - - - - | | 1.50 |

\$129.98

DEPARTMENT OF THE INTERIOR

UNITED STATES INDIAN SERVICE

INDIAN INDUSTRIAL SCHOOL

CARLISLE, PA.

PLUMBING

| | | | |
|--------|---|-------|---------|
| 1-5' | steel clad enameled bath tub complete, wood rim, compression bath cock supply pipes, overflow and waste to floor. Nickel-plated | ----- | \$10.50 |
| 1 | Low down tank syphon wash down closet complete with floor flange gasket and bolts, light oak woodwork, guaranteed | ----- | 12.50 |
| 1-30 | gal. boiler and stand (galv.) heavy | ----- | 7.50 |
| 1 | set boiler couplings (brass) | ----- | 1.40 |
| 1-1 | 1/4" lead ptrap | ----- | .85 |
| 1-4 | X 8 lead and iron furrule | ----- | 1.00 |
| 1 | 4" - 1/4" bend lead | ----- | 1.40 |
| 5 | lengths 4" single hub soil pipe 18¢ | ----- | 4.50 |
| 2 | " 4" double " " " 21¢ | ----- | 2.10 |
| | " sanitary T | ----- | .65 |
| | X 2" sanitary T | ----- | .65 |
| 2 | "- 1/4 bends long 45¢ | ----- | .90 |
| 1 | 1/4" stop check and waste lever (Mueller) | ----- | 1.00 |
| 8 | 3/4" pipe 5¢) galv. and strictly wrought iron | 4.00 | |
| 35 | 1/2" " 4¢) | 1.44 | |
| 2 | 3/4 X 1/2 X 3/4 7¢) | .14 | |
| 2 | 1/2 7¢) | .14 | |
| 1 | 1 X 3/4 9¢) | .09 | |
| 8-L | 3/4 7¢) malleable plain galv. | .56 | |
| 10-L | 1/2 6¢) | .60 | |
| 2-L | 1/2 X 3/8 6¢) | .12 | |
| 2-3/4" | Unions Kewanee 20¢ | .40 | |
| 2-1/2" | " " 18¢ | .36 | |
| 150" | - 4" terra cotta sewer pipe about 6¢ per ft. | 9.00 | |
| 1-4" | 1/4 band " " | .40 | |
| 1-20" | X 30" steel sink flat rim (galvanized) | 2.20 | |
| 2-1/2" | bibbs 60¢ | 1.20 | |
| 1-1 | 1/4" lead S trap | .70 | |

\$66.30

In all #10, 12, 98

Indian Office, Inc. No. 1
YAM 3
1905

AUTHORITY

INDIAN INDUSTRIAL SCHOOL
104933 RECEIVED

Finance

DEPARTMENT OF THE INTERIOR,

44022/1907
55964/1907

OFFICE OF INDIAN AFFAIRS,
WASHINGTON.

Auth. 104672

July 11, 1907.

Package enclosure

The Superintendent,

Carlisle School, Pennsylvania.

Sir:

Authority has been granted for the publication of an advertisement as per the form herewith, in which dates are to be inserted, for a period of three weeks, covering twenty-one days, in the daily editions of the Herald, Carlisle, Pa., the Press, Philadelphia, Pa., and the Gazette-Times, Pittsburgh, Pa., three insertions a week (Tuesdays, Thursdays and Saturdays), and for you to have posters printed and posted conspicuously in a number of public places in the vicinity of the school and elsewhere, and distributed among persons likely to be interested, inviting proposals for furnishing and delivering at the school, as required during the fiscal year ending June 30, 1908, the following building materials, etc.:

FOR FLORIST'S COTTAGE:

| | | |
|-----------|-----------|----------|
| 25 pieces | 2"x8"x24' | 800 ft. |
| 25 " | 2"x8"x26' | 832 ft. |
| 25 " | 2"x6"x20' | 500 ft. |
| 145 " | 2"x4"x18' | 1740 ft. |
| 85 " | 2"x6"x12' | 1020 ft. |
| 35 " | 2"x6"x14' | 490 ft. |
| 35 " | 2"x6"x12' | 420 ft. |
| | ----- | |
| | | 5802 ft. |

8 No. Posts 6"x6" W.P. 9 ft. 216 ft.
 2250 ft. W.P. siding #2
 1500 ft. Y.P. flooring #3
 2000 ft. Y.P. sheathing
 500 ft. W.P. flooring
 1000 ft. W.P. 1"x12" barn No. 2
 500 ft. W.P. 1-1/2" plank shop
 500 ft. W.P. 1-1/4" plank shop
 2 prs.Box stairs
 500 lbs.Sash weights
 30 No. Window lights 26"x30" D.S.
 3 No. Outside door locks
 12 No. Inside door locks
 14 No. Sash locks
 14 No. Sash lifts
 100 lbs.8d flooring brads
 200 lbs.8d wire nails
 5 doz.Sash pulleys 2" wheel
 100 lbs.20d nails
 40 lbs.30d nails
 14 prs.3-1/2"x3-1/2" loose pin butts
 3 prs.4"x4" loose pin butts
 24 boxes Cortright shingles
 300 ft. 6" baseboards at G.Md
 300 ft. 8" baseboards at G.Md
 150 lbs.Lewis white lead
 15 gals.Linseed oil
 75 ft. Galvanized down spouting
 12,000 plastering lath
 100 lbs.4d lath nails
 100 bu. Sand
 2 tons patent plaster
 25 lbs.Putty
 1 No. 4" altitude gauge
 1 No. Straight hot water thermometer

 1 No. 40' radiator)
 1 No. 33' ") all 2 column 26" high
 1 No. 30' ") for hot water
 1 No. 24' ")

 4 No. 1" hot water union red. valves, nickel-plated
 4 No. 1" union elbows, nickel-plated
 14 No. 1" floor plates, cast iron
 6 No. 1" ceiling plates, nickel-plated
 4 No. 1/8" compression air valves with key
 2 No. 2" gate valves (brass)

 81 No. 2" air cell)
 33 ft. 1-1/2" air cell) sectional coverings
 9 ft 1-1/4" air cell) 1 thick
 50 ft. 1" air cell)

80 ft. 2" pipe) black and
 32 ft. 1-1/2" pipe) strictly
 17 ft. 1-1/4" pipe) wrought
 120 ft. 1" pipe) iron
 2 No. T 2x1x2
 2 No. T 2x1-1/2x1
 4 No. T 2x1
 4 No. T 1-1/2 x 1
 12 No. L 1" 45 degrees
 14 No. L 1"
 8 No. L 2"
 2 No. Bushings 3-1/2" to 2-1/2"
 1 No. bushing 3-1/2" to 2"
 1 No. bushing 2-1/2" to 2"
 2 No. T 3-1/2" x 4" bull head
 1 No. Y 3-1/2"
 1 No. Y 2-1/2"
 1 No. Eccentric reducer 3-1/2 to 2
 1 No. pair 3-1/2" flanges
 1 No. 4" nipple 4" long
 1 No. 4" nipple 5" long
 1 No. 3-1/2" nipple short
 2 No. 2" Kewanee unions
 6 No. 2" pipe hangers
 6 No. 1-1/2" pipe hangers
 1 No. 5' steel clad enameled bath tub complete, wood
 rim, compression bath cock supply pipes,
 overflow and waste to floor, nickel-plated
 1 No. Low down tank syphon wash down closet complete
 with floor flange gasket and bolts, light
 oak woodwork, guaranteed
 1 No. 30 gal. boiler and stand (galv.) heavy
 1 No. Set boiler couplings (brass)
 1 No. 1-1/4" lead P trap
 1 No. 4x6 lead and iron ferrule
 1 No. 4" 1/4" bend lead
 5 No. lengths 4" single hub soil pipe
 2 No. lengths 4" double hub soil pipe
 1 No. 4" sanitary T
 1 No. 4x2" sanitary T
 2 No. 4" 1/4 bends long
 1 No. 3/4" stop check and waste lever (Mueller)
 80 No. 3/4" galv. and strictly wrought iron pipe
 36 No. 1/2" galv. and strictly wrought iron pipe
 2 No. T 3/4x1/2x3/4)
 2 No. T 1/2)
 1 No. T 1x3/4) malleable plain galv.
 8 No. L 3/4)
 10 No. L 1/2)
 2 No. L 1/2 x 3/8)

- 55 ft. 2-1/2" pipe)
 50 ft. 2" pipe) Black and
 107 ft. 1-1/2" pipe) strictly
 90 ft. 1-1/4" pipe) wrought
 180 ft. 1" pipe) iron pipe
 160 ft. 3/4" pipe)
 5 No. 2" pipe hangers, ball joint
 5 No. 1-1/2" pipe hangers, ball joint
 4 No. 1-1/4" pipe hangers, ball joint
 60 ft. 2" asbestos air cell, section covering, 1" thick
 60 ft. 1-1/2" do
 99 ft. 1-1/4" do
 72 ft. 1" do
 108 ft. 3/4" do
 200 lbs. asbestos cement
 26 No. 1" cast iron, nickel plated floor plates
 26 No. 3/4" do
 5 No. 1-1/4" do
 8 No. 1" cast iron, nickel plated ceiling plates
 8 No. 3/4" do
 5 No. 1-1/4" do
 4 No. 5' enameled iron, 3" roll rim, bath tubs, complete
 with n.p. fuller bath cocks, supply pipes
 overflow and waste to floor, guaranteed
 4 No. Lavatories, 10"x14" bowl, 6" back roll rim, cast
 in one piece with wall hanger, enameled
 inside, complete with nickel plates, compre-
 sion cocks, trap and supply pipe to floor,
 guaranteed
 4 No. 20"x30" sinks, 12" back, roll rim, enameled in-
 side, cast in one piece, complete with legs,
 air chambers, n.p. fuller bibbs and 1-1/2" trap
 to floor, guaranteed
 4 No. Low down tank, syphon wash down closets, complete
 with floor flanges, gaskets, and bolts, light
 oak wood, guaranteed
 4 No. 30 gal. boilers and stands, heavy galv.
 4 No. sets boiler couplings, brass
 19 No. lengths 4" single hub soil pipe, standard
 3 No. lengths 4" double do
 3 No. 4" sanitary crosses
 1 No. 4"x2" sanitary T
 2 No. 4"---1/4" bends, long,
 2 No. 4" 1/8" "
 4 No. 4"x6" lead and iron ferrule
 4 No. 4" lead 1/4" bend
 4 No. 1-1/4" lead P traps
 14 ft. 1-1/4" lead pipe, about 3 lbs.
 50 lbs. lead
 2 No. 3/4" stop and wastes, lever handle
 1 No. 1" do

2 doz. cupboard catches, common
 5 doz. 1" shutter rings and staples
 4 No. Mitres, 6" double beaded
 210 ft. gutter, 6" do
 104 ft. 4" corrugated down spouting
 4 No. elbows 4"
 175 ft. coping
 350 lbs. white lead, Lewis & Wetherill's
 20 gal. raw linseed oil
 1 gal. Japan dryer
 5 lbs. lamp black, in oil
 5 lbs. yellow ochre do
 10 lbs. tuscan red do
 25 lbs. Chrome, green do
 35 gal. Cortright roofing paint, red
 15 boxes glass, double thick, 15x36
 1 box do 11x17
 10 gal. Nisonon varnish, Patterson-Sargent Co.
 5 gal. Liquid wood filler
 50 lbs. Putty
 60 gal. Shingle stain
 6 pcs. 2"x6"x28' 168')
 51 pcs. 2"x6"x20' 1020')
 45 pcs. 2"x6"x16' 720')
 12 pcs. 2"x10"x16' 320')
 205 pcs. 2"x10"x20" 6833') Hemlock
 50 pcs. 2"x6"x22' 1100') frame
 24 pcs. 2"x6"x16' 384')
 325 pcs. 2"x4"x20' 4333')
 50 pcs. 2"x4"x20' 666')
 35 pcs. 2"x10"x16' 933')
 30 pcs. 2"x4"x16' 320')

 8 pcs. 6"x6"x10' 240') Poplar
 4 pcs. 3"x6"x10' 60') frame
 6500 ft. sheathing 1"x10"
 500 ft. Boards, dressed, white pine 1"x12"
 5550 ft. #2 German siding
 6000 ft. #2 Yellow pine flooring
 1000 ft. 10" base, 2 members
 500 ft. 1-1/2" white pine plank, sugar
 17730 No. Plastering lath
 800 ft. White pine ceiling
 2 No. Sets open stairs
 14500 No. Cedar dimension shingles
 4 No. Twin window frames box and sash, 2 light, 26"x36"
 8 No. Outside door and frame, 14" transom, 2'10" x 7'
 finished with trim. 1-1/2" door
 25 No. Doors and jambs, 2'6"x7'4" 1-1/2" door, 5 panel
 12 No. do 2'10"x7' do
 2 No. do 22"x5' 1-1/2" door, 2 panel

4 No. Cellar frames, 2 light, 10"x12"
(all doors and window frames to be complete
with inside trimmings, with outside blinds and
sash, 3-1/2" finish, white pine)
128 perches of stone
3284 bu. Sand
2300 No. Brick
6 ton Wall plaster
384 bu. Lime
30 bu. Lime
50 bu. Lime York
4 No. two-light clusters, and 20 drop lights, with
wiring and fixtures, installed complete;

and for you to enter into contract therefor with the lowest respon-
sible bidder or bidders subject to the approval of the Department.
Payment therefor is to be made from a specific appropriation found
in the Indian bill for 1908.

I transmit herewith blank forms of contract and bond in
the preparation of which you should be guided by Sections 129 to
192 of the Regulations.

Payment for printing the posters will be made by you from
any funds in your hands under "Indian School, Carlisle, Pennsyl-
vania, 1908" not required for other purposes. Payment for print-
ing the advertisement in the newspapers named will be made through
the P. & M. Division, Secretary's Office, Washington, D.C., on
receipt of proper accounts on the enclosed blanks accompanied by
a copy of each edition of the newspaper containing the advertise-
ment, together with the original letters directing its publication.
These letters are enclosed. In fixing the date of the letting you

Carlisle School, Pennsylvania

-9-

should be guided by Section 210 of the Regulations, and when this date is fixed you should immediately report it to this Office.

The Office will send you in a very short time blue prints to be used in the construction work above outlined.

Very respectfully,

F. M. CONSER,

Chief Clerk.

CHS(O)

C. J. H.