

91
176
55964

OFFICE OF
Indian Affairs
Rec. JUN 18

1907

AUTHORITY

104672

OFFICE OF
INDIAN AFFAIRS

RECEIVED

JUL 6 1907

1316
19
24

INDIAN INDUSTRIAL SCHOOL,

Carlisle, Pa.
June 17, 1907.

W.A. Mercer,
Major 11th Cavalry, Supt.

FILE

Submits plans and specifications
for one two-story double cottage
and respectfully asks that same
be approved.

32

Trans. to E June 21/1907
Returned to G. June 24/07
Encls # 2 & 3. in Draft Div.
regular file

To Secy. July 2/1907
" Supt. July 10/1907

J
Schubert

DEPARTMENT OF THE INTERIOR
UNITED STATES INDIAN SERVICE
INDIAN INDUSTRIAL SCHOOL
CARLISLE, PA.

J.R.W.
June 17, 1907.

The Honorable,
The Commissioner of Indian Affairs,
Washington, D.C.

Sir:-

Referring to your Office letter Finance 44022/1907, dated the 11th ultimo, in regard to plans for the erection of a florist's cottage at this school, at a cost of about \$1000, and suggesting that I submit my plans for disbursing the entire \$5000 appropriated for employees' cottages, I now have to submit herewith plans and specifications for one two-story double cottage to be erected in addition to the florist's cottage referred to, plans for which were submitted with my letter of May 3rd. It will be observed that the plans for this double cottage provide for suites in flats on each floor suitable for house-keeping so that the double cottage will accommodate four families. The specifications and estimates herewith foot up \$3456.25 for material. The labor required in the erection will all be furnished by our pupils, working under and assisted by our instructors, excepting the installation of the electric light fixtures, which will have to be installed under contract at an estimated cost of \$100.00.

I trust that these plans, together with the ones for the florists cottage, may now meet with your approval without delay and that we ^{may} be advised at the earliest practicable date of such approval, and authorized to advertise for proposals for supplying the required material, etc.

I have to request that the said plans herewith be returned with

-2- Commissioner.

your reply, or else that you send me two or three sets of blue prints made therefrom.

Very respectfully,

H. A. Mercer

Major 11th Cavalry,

Superintendent.

JRW/EFW

Encs.

55964

Indian Office,

JUN 18

Incl. No. /

1907

AUTHORITY

104672

OFFICE OF
INDIAN AFFAIRS

RECEIVED

JUL 6 1907

227220.32

DEPARTMENT OF THE INTERIOR,
RECEIVED
JUL 5 1907
MISCELLANEOUS DIVISION,
MISCLS.

18--1"	Angle Union Radiator Valves, Jenk.Disk, N.P. @ 1.05	--	18.90
18-- $\frac{3}{4}$ "	" " " " " " " "	--	17.10
1--2"	Brass Gate Valve		2.90
1--1 $\frac{1}{4}$ "	" " " " " " " "		1.40
1--1"	Swing Check Valve		1.20
18-- $\frac{1}{2}$ "	Allen or Norwall Auto Air Valve @ .65		11.70
	1 Rubber Steam Trap steam pressure of 10 lbs. for	--	10.00

18—	1/2" Allen or Norwall Auto Air Valve @ .65	11.70
1	No.1 Dunham Steam Trap, steam pressure of 10 Lbs. for - - -	10.00

1	2"	Kewanee Union		.60
1	1 1/4"	"	"	.40
1	1"	"	"	.30
1	T.	2 1/2" x 2" x 2"		.30
1	T.	2" x 1 1/4" x 2"		.20
2	T.	2" x 1 1/2" x 1" @	.20	.40
1	T.	2" x 1 1/2" x 1 1/4"		.20
4	T.	2" x 1 1/4" @	.20	.80
4	T.	2" x 1" "	.20	.80
2	T.	1 1/2" x 1 1/4" x 1 1/4" @	.14	.28
5	T.	1 1/2" x 1" "	.14	.70
3	T.	1 1/2" x 1 1/4" x 1" "	.14	.42
2	T.	1 1/4" x 1" x 1" "	.12	.24
5	T.	1 1/2" x 1" x 3/4" "	.12	.60
9	T.	1 1/4" x 3/4" "	.12	1.08
2	T.	1 1/4" x 1" "	.12	.24
5	T.	1" x 3/4" "	.10	.50

3	L.	2"			1.18	.54	
3	L.	1 1/4"			" .14	.28	
4	L.	1 1/4"			" .08	.32	
25	L.	1"			1.06	1.50	
30	L.	3/4"			" .05,	1.50	
20	L.	1"	45	deg.	" .07	1.40	
7	L.	3/4"	"	"	" .06	.42	
5	L.	1 1/4"	"	"	" .14	.70	
2	L.	1 1/2"	"	"	" .16	.32	15.04

55 ft.	of	2 1/2"	Pipe	Black and strictly wrought Iron Pipe	.25	13.75
50 "	"	2"	"		.15	7.50
107 "	"	1 1/2"	"		.13	13.91
90 "	"	1 1/4"	"		.11	9.90
180 "	"	1"	"		.10	18.00
160 "	"	3/4"	"		.08	12.80

Amount forwarded \$266.42

(S.J.N.)

Amt. Brot.Ford.-----

266.42
\$266.42

5--2" Pipe Hangers, Ball joint, @ .20, - - -	1.00	
5--1 1/4" " " " "	.15, - - -	.75
4--1 1/4" " " " "	.14, - - -	.56 - - - - - 2.31
60 ft. 2" Asbestos Air Cell, Sectional Covering 1" thick, @ .15,		9.00
60 " 1 1/2" Do. @.13,		7.80
99 " 1 1/2" Do. @ .12		11.88
72 " 1" Do. @ .10		7.20
108" 3/4" Do. @ .09		9.72
200 Lbs. Asbestos Cement, @ .04, - - - - -		8.00
26--1" cast iron, nickle plated floor plates @ .07, - - - - -		1.82
26 3/4" Do. .06, - - - - -		1.56
5 1 1/4" Do. .09, - - - - -		.45
8 1" Do. Ceiling Plates @ .07, - - - - -		.56
8 3/4" Do. " .06, - - - - -		.48
5 1 1/4" Do. " .09, - - - - -		.45

Plumbing Material

4--5 ft. enameled iron, 3" roll rim, bath tubs, complete with with n.p. fuller bath cocks, supply pipes overflow and waste to floor, guaranteed, @ \$25.00, - - - - -		100.00
4 Lavatories, 10" x 14" bowl, 6" back roll rim, cast in one piece with wall hanger, enameled inside, complete with nickle plate, compression cocks, trap and supply pipe to floor, guaranteed,		40.00
4--20" x 30" sinks, 12" back, roll rim, enameled inside, cast in one piece, complete with legs, air chambers, n.p. fuller bibbs and 1 1/2" trap to floor, guaranteed, @ \$11.00		44.00
4 Low down tank, Syphon Wash Down Closets, complete with floor flanges, gaskets and bolts, light oak wood work, guaranteed,		50.00
4 -30 Gal Boilers and stands, heavy galvd. @ 6.00, - - - - -		24.00
4 sets Boiler Couplings, brass, @ 1.75, - - - - -		7.00
19 Lengths, 4" single hub Soil Pipe, Standard, for - - - - -		17.10
3 " 4" double Do. " - - - - -		3.15
3 --4" Sanitary Crosses @ 1.00, - - - - -		3.00
1 4"x 2" " T. - - - - -		.50
2 4"---1 1/4" Bends, long, @ .85, - - - - -		1.70
2 4" 1/2" " " .50, - - - - -		1.00
4 4" x 6" Lead & Iron Ferrule, - - - - - @.65, - -		2.60
4 4" Lead 1/4" Bend, @.90, - - - - -		3.60
4 1 1/2" " P. Traps @ .40, - - - - -		1.60
14 ft. 1 1/4" Lead Pipe, about 3 lbs. @ .20, - - - - -		2.80
50 Lbs. Lead, @ .07, - - - - -		3.50
2 3/4" Stop & Wastes, Lever handle, @ 1.00, - - - - -		2.00
1 1" Do. " 1.25, - - - - -		1.25

Amount forwarded-- 636.45

-----3-----Commissioner Ind.Affrs.

Mall. Plain Plain, Galvd. Material, Viz.

By Amt.Brot.Ford.---- \$636.45

1	1" Union	for	-----	.16	
3	$\frac{3}{4}$ " "	@	.12, -----	.36	
4	$\frac{1}{2}$ " "	@	.10, -----	.40	
6	T. $1\frac{1}{2}$ "	@	.21, -----	1.26	
4	T. $1\frac{1}{4}$ "	@	.14, -----	.56	
1	T. $\frac{3}{4}$ "	X 1" Bull Head	for	.10	
2	T. 1"		@	.10, -.20	
4	T. 1" X $\frac{3}{4}$ "		@	.10, -.40	
6	T. 1" X $\frac{3}{4}$ " X $\frac{3}{4}$ "		@	.10, -.60	
6	T. $\frac{3}{4}$ "		@	.07, -.42	
8	T. $\frac{3}{4}$ " X $1\frac{1}{2}$ "		@	.07, .56	
8	T. $\frac{3}{4}$ " X $1\frac{1}{4}$ " X $\frac{3}{4}$ "		@	.07, -.56	
8	T. $\frac{3}{4}$ " X $1\frac{1}{2}$ " X $\frac{3}{4}$ "		@	.07, -.56	
15	T. $\frac{3}{4}$ "		@	.05, -.75	
8	T. $\frac{3}{4}$ " X $\frac{3}{4}$ " X $\frac{3}{4}$ "		@	.05, -.40	
5	T. $\frac{3}{4}$ " X $\frac{3}{4}$ "		@	.05, -.25	
7	L. $1\frac{1}{2}$ "		@	.21 -1.47	
4	L. $1\frac{1}{4}$ "		@	.16 -.64	
7	L. 1"		@	.08, -.56	
20	L. $\frac{3}{4}$ "		@	.06, 1.20	
25	L. $\frac{1}{2}$ "		@	.04, 1.00	
14	L. $1\frac{1}{2}$ " X $\frac{3}{4}$ "		@	.04, .56	
10	Street L. $\frac{1}{2}$ "		@	.05, .50	
14	$\frac{3}{8}$ " Couplings		@	.03 .52	----- 13.99
80 ft.	$1\frac{1}{2}$ " strictly wrought iron galvd. pipe	@	.14, -----	11.20	
20 "	$1\frac{1}{4}$ " Do.	"	.12, -----	2.40	
150 "	1" Do.	"	.08, -----	12.00	
90 "	$\frac{3}{4}$ " Do.	"	.06, -----	5.40	
70 "	$\frac{1}{2}$ " Do.	"	.05, -----	3.50	
125 ft.	6" Terra Cotta Sewer Pipe	@	.11, -----	13.75	
15 "	4" Do.	"	.10, -----	1.40	
3	6" Y's Terra Cotta	@	.80, -----	\$2.40	
3	4" $\frac{1}{4}$ " Bends, Terra Cotta	"	.25, -----	.75	
2	4" $\frac{1}{4}$ " " " " "	"	.25, -----	.50	----- -3.65

Amount Forwarded \$703.74

(S.J.N.)

Hardware, Paints, etc.

1200 lbs. Sash Weights @ 1.75 per 100,	-----	21.00
8 Outside Door Locks, #521 Wayne , for	-----	4.50
4 Doz. Inside Door Locks @ \$4.50,	-----	18.00

100 Lbs. 8d. Flooring Brads)		
200 " 20d. Naild, Wire)		
200 " 4d. " ")		
200 " 3d. " ")	1500 Lbs. @ 2.50, -----	37.50
800 " 8d. " ")		

15 Bolts Sash Cord, Silver Lake, @ 1.00,	-----	15.00
4 Doz. Prs. Loos Pin Butts Hinges, with screws, 3½" x 3½" for	-----	4.80
30 sets Lull & Porter, Shutter Hinges for frame house, with screws	-----	7.50
3 Doz. Sash Locks, common @ 1.00,	-----	3.00
3 " " Ligts, " " .25,	-----	.75
3 " Door Stops .20,	-----	.60
10 Gro. Screws, Asstd. 1" to 1½" @ .25,	-----	2.50

2 Doz. Cupboard Catches, Common for,	-----	1.75
5 Doz. 1" Shutter Rings & Staples @ .15,	-----	.75

Tinning.

4 Mitres, 6" double beaded @ .30,	-----	1.20
210 ft. Gutter, 6" Do. @ .08,	-----	16.80
104 " 4" Corrugated Down Spouting @ .08,	-----	8.32
4 Elbows, 4" @ .20,	-----	.80
175 ft. Coping @ .08,	-----	14.00

Paints, etc.

350 Lbs. White Lead, Lewis & Wetherill's @ .07,	-----	24.50
20 Gal. Raw Linseed Oil @ .40,	-----	8.00
1 " Japan Dryer for,	-----	3.00
5 Lbs. Lamp Black, in oil @ .20,	-----	1.00
5 " Yellow Ochre, " " @ .10,	-----	.50
10 " Tuscan Red, " " @ .18,	-----	1.80
25 " Chrome, Green " " @ .20,	-----	5.00
35 Gal. Cortright Roofing Paint, Red @ 1.00,	-----	35.00
15 Boxes Blass, double thick, 15 x 36 @ 3.60,	-----	54.00
1 " " " " 11 x 17 for,	-----	5.00
10 Gal. Nisoron Varnish, Patterson-Sargent Co. @ 2.50,	-----	25.00
5 " Liquid Wood Filler, Do. @ 1.25,	-----	6.25
50 Lbs. Putty @ .03,	-----	1.50
60 Gal. Shingle Stain @ .80,	-----	48.00

Lumber Material.

Amt.Brot. Ford. ----- \$1081.06

Hemlock Frame.

6	Pcs.	2" x 6" x 28'	--	168'
51	"	2 x 6 x 20	--	1020'
45	"	2 x 6 x 16	--	720'
12	"	2 x 10 x 16	--	320'
205	"	2 x 10 x 20	--	6833'
50	"	2 x 6 x 22	--	1100'
24	"	2 x 6 x 16	--	384'
325	"	2 x 4 x 20	--	4333'
50	"	2 x 4 x 20	--	666'
35	"	2 x 10 x 16	--	933'
30	"	2 x 4 x 16	--	320'
<u>Poplar Frame.</u>				
8	"	6x 6 x 10	--	240'
4	"	3 x 6 x 10	--	60'

17097' @ 28.00 ----- 478.72

6500	ft.	Sheathing 1" x 10"	@ \$25.00	-----	162.50
500	"	Boards, dressed, white pine, 1" x 12"	@ 50.00	-----	25.00
5550	"	#2 German Siding, @ \$40.00	-----	-----	222.00
6000	"	#2 Yellow Pine Flooring, \$35.00	-----	-----	210.00
1000	"	10" Base, 2 members @ .05½	-----	-----	55.00
500	ft.	1½" White Pine Plank, Sugar, @ \$75.00	-----	-----	37.50
17730		Plastering Lath, @ \$5.60	-----	-----	99.28
800	ft.	White Pine Ceiling @ \$35.00	-----	-----	28.00
2	setts	Open Stairs @ \$60.00	-----	-----	120.00
14500		Cedar Dimension Shingles, @ \$8.00	-----	-----	116.00
4	Twin	Window Frames Box & Sash, 2 light, 26" x 36" for	-----	-----	24.00
8	Outside	Door & Frame, 14" transom, 2'10" x 7'	-----	-----	48.00
		finished with trim. 1½" door	-----	-----	
25	Doors & Jambs	2'6" x 7'4" 1½" door, 5 panel @ 5.00	-----	-----	125.00
12	"	" 2'10" x 7' " " " "	-----	-----	60.00
2	"	" 22" x 5' " " " 2 "	-----	-----	5.00
4	cellar	Frames, 2 light, 10" x 12"	-----	-----	3.00

(All doors and window frames to be complete with inside trimmings, with outside blinds & sash, 3½" finish, white pine.)

Building Material

128	Perches	of Stone @ .35	-----	44.80
3284	Bus.	Sand @ .07	-----	229.88
2300	Brick	@ 8.50	-----	19.55
6	tons	Wall Plaster @ 14.00	-----	84.00
384	Bus.	Lime " .14	-----	53.76
30	"	" .14	-----	4.20
50	"	York .40	-----	20.00

----- \$456.19

Total

✓ \$3356.25

(S.J.N.)

NEW YORK
AMT. BROD. FORD.
Commissioner of Ind. Affairs

Electric light fixtures and installation of same:-

✓ For four two-light clusters, and twenty drop lights, with wiring and fixtures, installed complete, - - - - - \$100.00
Amt. Brot. Ford. - - - - - 3356.25
\$3456.25

22384	JUL 18	1907
INDIAN AFFAIRS OFFICE OF 104625 RECEIVED JUL 18 1907 AUTHORITY		